



**CT23MT12**

## Double DIN Fitting Kit for Mitsubishi Vehicles



### IN THE KIT

- Double DIN Fascia Panel
- 5x Fascia Clips
- Brackets
- Single DIN Pocket

### APPLICATION

*Note: Application data is subject to change at any time*

<b>Mitsubishi L200</b>	<b>2006 - 2015</b>
<b>Mitsubishi Sportero</b>	<b>2006 - 2015</b>
<b>Mitsubishi Strada</b>	<b>2006 - 2015</b>
<b>Mitsubishi Triton</b>	<b>2006 - 2015</b>

*Note: this product does not aid in the retention of the trip computer panel.*

### FEATURES

- Allows for the installation of a single/double DIN aftermarket stereo
- Includes mounting brackets and fitting accessories
- Finished in black to match vehicle dashboard

#### DISCLAIMER

*The information provided in this document is subject to change without notice due to manufacturer changes and/or improvements to the product/s. This instruction manual is based on documented data and research. The manufacturer of this product cannot be held responsible for any changes made to the vehicle by the manufacturer or damages that may occur through the installation of this product in accordance with the steps outlined herein.*

# PRIOR TO INSTALLATION

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Please ensure that the correct tools are used during the installation to avoid damage to the vehicle or product. **Connects2 can not be held responsible for the installation of this product.**

## INSTALLATION GUIDE


### DASH DISASSEMBLY

1.



Begin by using a panel removal tool to pry the main fascia hood trim up and away from the dashboard.

2.



With the trim removed, undo the 4x screws that surround the trip computer and remove it whilst disconnecting all of the wiring.

*Note that the trip computer will not be retained with this fascia.*

3.



Using a set of radio release keys, proceed to unclip and pull the main stereo out of the dashboard. Once free, proceed to disconnect all of the wiring.

# INSTALLATION GUIDE

## FASCIA ASSEMBLY


4.



Attach the clips within the kit to the location pins found on the back of the new double DIN fascia panel (*see the image*).

## DASH ASSEMBLY

5.



Attach the brackets to both sides of the stereo and fit loosely into the dashboard to gauge the correct orientation.

6.



With the brackets correctly aligned (and the stereo wired up) screw the new stereo into place using the pre-existing screws.

7.



Insert the single DIN pocket that comes within the kit into the open aperture where the original radio used to be located.

# INSTALLATION GUIDE

---

## DASH ASSEMBLY

---

8.



Finally, place the new hood fascia panel over top the new stereo and fix into place using the clips provided.

## NOTES

---